



The Timken Company

4500 Mt Pleasant St. NW


N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number 62308-2RS, Wide Section Ball Bearings (62000, 63000)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

Clearance	C0 (Normal)
Bore Size d	40 mm
Features	Contact Seals

Dimensions

Outside Diameter D	90 mm
Outside Ring Width B	33 mm
Radius R_{s min}	1.5 mm




Basic Load Ratings

Cr - Dynamic Load Rating 41000 N

C0r - Static Load Rating 24000 N

Factors

Grease Limiting Speed 11000 rpm



METRIC UNITS

Weight 0.85 kg

TIMKEN®

62308-2RS
Wide Section Ball Bearings (62000, 63000)

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Dynamic Load Rating 41000 N
Static Load Rating 24000 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY