



The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number 6202H-2RS, Corrosion Resistant Deep Groove Ball Bearings

Timken’s corrosion resistant deep groove ball bearings are an ideal fit for a variety of demanding applications. Constructed with stainless rings, rolling elements, and cages, our bearings can improve uptime in a variety of harsh environments.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications	
UPC Code	13992227263
Clearance	C0 (Normal)
Bore Size d	15 mm
Bearing Type	Corrosion Resistant DGBB
Features	Contact Seals
Lubrication Type	Standard Industrial Grease
Material	AISI 440C



Dimensions

Outside Diameter D 35 mm

Outside Ring Width B 11 mm

Radius Rs min 0.6 mm

Basic Load Ratings


Cr - Dynamic Load Rating 6490 N

C0r - Static Load Rating 2980 N

Factors

Grease Reference Speed 19000 rpm

Solid Lube Speed 11400 rpm



METRIC UNITS

Weight	0.045 kg	TIMKEN ®
		THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6202H-2RS Corrosion Resistant Deep Groove Ball Bearings		
Dynamic Load Rating	6490	N
Static Load Rating	2980	N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY